

1407654

https://www.phoenixcontact.com/in/products/1407654

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Coupling housings B16, with single locking latch, material: PA, cable outlets: 1, straight/lateral, height: 81 mm, cable gland: none, Standard

## Your advantages

- · Flexible cable outlet direction, lateral or straight
- · Lower costs than metal version
- · Low weight
- · Lower risk of condensation

### **Commercial Data**

Item number	1407654
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	BF7
Product Key	BF7APL
Catalog Page	Page 618 (C-2-2019)
GTIN	4046356777179
Weight per Piece (including packing)	130.1 g
Weight per Piece (excluding packing)	128.7 g
Customs tariff number	85389099
Country of origin	PL



1407654

https://www.phoenixcontact.com/in/products/1407654

### **Technical Data**

#### Notes

General	For contact inserts HC-B16, BB32, D40, DD72, HS6, HV6, M, K,
	HV06-I-PR, HV 6-EC

### Product properties

Туре	B16
Product type	Housing with locking latch
Application	Standard
No. of cable outlets	1
Housing type	Coupling housings
Locking type	with single locking latch
Cable outlet	straight
Pg screw connection	none

#### **Dimensions**

Dimensional drawing	93.5
Width	44 mm
Height	81 mm
Length	93.5 mm

### Material specifications

Color	black
Flammability rating according to UL 94	V0 (Housing)
	V0 (Interlock)
Seal material	NBR
Locking latch material	PA
Impact strength	IK08
Housing material	PA

### Mechanical properties

#### Mechanical data

Locking type Latch	
--------------------	--

### Mounting

Assembly instructions	The coupling housing must be supplemented with the EVO screw connection. The EVO screw connection is available in four sizes. The EVO screw connection is mounted with the aid of a pipe
	wrench, for example.



1407654

https://www.phoenixcontact.com/in/products/1407654

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP66
	12 (UL 50e)
Impact strength	IK08
Ambient temperature (operation)	-40 °C 125 °C





https://www.phoenixcontact.com/in/products/1407654



## Drawings

### Dimensional drawing





Dimensional drawing



1407654

https://www.phoenixcontact.com/in/products/1407654

## **Approvals**



**cUL Recognized**Approval ID: E255026



**UL Recognized** 

Approval ID: E255026



**EAC** 

Approval ID: RU C-DE.Al30.B.01102



EAC

Approval ID: RU C-DE.BL08.B.00511



1407654

https://www.phoenixcontact.com/in/products/1407654

## Classifications

#### **ECLASS**

UNSPSC 21.0

ECLASS-11.0	27440202
ECLASS-12.0	27440202
ECLASS-13.0	27440202
ETIM	
ETIM 8.0	EC000437
UNSPSC	

31261500



1407654

https://www.phoenixcontact.com/in/products/1407654

## **Environmental Product Compliance**

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values



1407654

https://www.phoenixcontact.com/in/products/1407654

#### Accessories

### HC-B-G-M20-PLRBK - Cable gland

1407669

https://www.phoenixcontact.com/in/products/1407669



EVO plastic cable gland with bayonet locking, for housing series B, size M20, cable diameter: 7 mm  $\dots$  13 mm

### HC-B-G-M25-PLRBK - Cable gland

1407670

https://www.phoenixcontact.com/in/products/1407670



EVO plastic cable gland with bayonet locking, for housing series B, size M25, cable diameter: 9 mm  $\dots$  17 mm



1407654

https://www.phoenixcontact.com/in/products/1407654

### HC-B-G-M32-PLRBK - Cable gland

1407671

https://www.phoenixcontact.com/in/products/1407671



EVO plastic cable gland with bayonet locking, for housing series B, size M32, cable diameter: 11 mm  $\dots$  21 mm

### HC-B-G-M40-PLRBK - Cable gland

1407672

https://www.phoenixcontact.com/in/products/1407672



EVO plastic cable gland with bayonet locking, for housing series B, size M40, cable diameter: 19  $\dots$  28 mm



1407654

https://www.phoenixcontact.com/in/products/1407654

### HC-B16-SL-PLBK - Housing brackets

1407700

https://www.phoenixcontact.com/in/products/1407700



Replacement single locking latch for HEAVYCON EVO housing type B16, PA

#### HC-B16-SP-RBK - Profile gasket

1407708

https://www.phoenixcontact.com/in/products/1407708

Profile gasket for HEAVYCON EVO supporting base element type B16





1407654

https://www.phoenixcontact.com/in/products/1407654

#### HC-B16-BCFS-P-BK - Protective cover

1346537

https://www.phoenixcontact.com/in/products/1346537



Protective cover B16, for single locking latch, protective cover material: PC, height: 26.3 mm, seal: no

### US-EMP (20X9) - Snap-in markers

0829439

https://www.phoenixcontact.com/in/products/0829439



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size:  $20 \times 9$  mm, Number of individual labels: 70




1407654

https://www.phoenixcontact.com/in/products/1407654

#### US-EMP (20X9) CUS - Snap-in markers

0830028

https://www.phoenixcontact.com/in/products/0830028





#### HC-B-TA-M40-PLR-BK - Adapter

1414246

https://www.phoenixcontact.com/in/products/1414246



Plastic thread adapter with bayonet lock, for EVO housing series B, M40 thread



1407654

https://www.phoenixcontact.com/in/products/1407654

### HC-B-TA-M32-PLR-BK - Adapter

1414245

https://www.phoenixcontact.com/in/products/1414245



Plastic thread adapter with bayonet lock, for EVO housing series B, M32 thread

#### HC-B-TA-M25-PLR-BK - Adapter

1414244

https://www.phoenixcontact.com/in/products/1414244



Plastic thread adapter with bayonet lock, for EVO housing series B, M25 thread



1407654

https://www.phoenixcontact.com/in/products/1407654

### HC-B-TA-M20-PLR-BK - Adapter

1414243

https://www.phoenixcontact.com/in/products/1414243



Plastic thread adapter with bayonet lock, for EVO housing series B, M20 thread

#### HC-B-TA-PG29-PLR-BK - Adapter

1414250

https://www.phoenixcontact.com/in/products/1414250



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg29 thread



1407654

https://www.phoenixcontact.com/in/products/1407654

### HC-B-TA-PG21-PLR-BK - Adapter

1414249

https://www.phoenixcontact.com/in/products/1414249



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg21 thread

#### HC-B-TA-PG16-PLR-BK - Adapter

1414248

https://www.phoenixcontact.com/in/products/1414248



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg16 thread



1407654

https://www.phoenixcontact.com/in/products/1407654

### HC-B-TA-PG13-PLR-BK - Adapter

1414247

https://www.phoenixcontact.com/in/products/1414247



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg13.5 thread

#### HC-B-TA-NPT-1 1/4-PLR-BK - Adapter

1414254

https://www.phoenixcontact.com/in/products/1414254



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1 1/4" thread



1407654

https://www.phoenixcontact.com/in/products/1407654

### HC-B-TA-NPT-1/1-PLR-BK - Adapter

1414253

https://www.phoenixcontact.com/in/products/1414253



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1/1" thread

#### HC-B-TA-NPT-3/4-PLR-BK - Adapter

1414252

https://www.phoenixcontact.com/in/products/1414252



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 3/4" thread



1407654

https://www.phoenixcontact.com/in/products/1407654

#### HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251

https://www.phoenixcontact.com/in/products/1414251



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1/2" thread

### HC-B-GB-M32-PLRBK - Cable gland

1414662

https://www.phoenixcontact.com/in/products/1414662



Set consisting of: EVO plastic adapter 1414245 and plastic screw connection with bending armor rod 1415181, M32  $\,$ 



1407654

https://www.phoenixcontact.com/in/products/1407654

#### HC-B-GB-M25-PLRBK - Cable gland

1414661

https://www.phoenixcontact.com/in/products/1414661




Set consisting of: EVO plastic adapter 1414244 and plastic screw connection with bending armor rod 1415180, M25

#### HC-B-GB-M20-PLRBK - Cable gland

1414660

https://www.phoenixcontact.com/in/products/1414660








1407654

https://www.phoenixcontact.com/in/products/1407654

#### HC-B-GTRS-M32-PLRBK - Cable gland

1414654

https://www.phoenixcontact.com/in/products/1414654





#### HC-B-GTRS-M25-PLRBK - Cable gland

1414652

https://www.phoenixcontact.com/in/products/1414652

Set consisting of: EVO plastic adapter 1414244 and plastic screw connection with terminal block 1415190, M25





1407654

https://www.phoenixcontact.com/in/products/1407654

### HC-B-GTRS-M20-PLRBK - Cable gland

1414651

https://www.phoenixcontact.com/in/products/1414651

Set consisting of: EVO plastic adapter 1414243 and plastic screw connection with terminal block 1415189, M20



#### HC-B-GM8X6,5-M40-PLTBK - Cable gland

1414646

https://www.phoenixcontact.com/in/products/1414646



EVO plastic cable gland with bayonet locking; size M40, for 8 conductors with 6. 5 mm cable diameter



1407654

https://www.phoenixcontact.com/in/products/1407654

### HC-B-GM5X8,5-M40-PLTBK - Cable gland

1414645

https://www.phoenixcontact.com/in/products/1414645



EVO plastic cable gland with bayonet locking; size M40, for 5 conductors with 8. 5 mm cable diameter

#### HC-B-GM4X10-M40-PLTBK - Cable gland

1414644

https://www.phoenixcontact.com/in/products/1414644



EVO plastic cable gland with bayonet locking; size M40, for 4 conductors with 10 mm cable diameter



1407654

https://www.phoenixcontact.com/in/products/1407654

### HC-B-GM0-M40-PLTBK - Cable gland

1414643

https://www.phoenixcontact.com/in/products/1414643



EVO plastic cable gland with bayonet locking; size M40, with filler plug

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in