

1407657

https://www.phoenixcontact.com/in/products/1407657

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



HEAVYCON EVO sleeve housing, plastic, with bayonet flange for EVO screw connection, B24, for double locking latch, height: 87.5 mm, without EVO screw connection

Your advantages

- · Flexible cable outlet direction, lateral or straight
- · Lower costs than metal version
- · Low weight
- · Lower risk of condensation

Commercial Data

| Item number | 1407657 |
|--------------------------------------|---------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales Key | BF7 |
| Product Key | BF7APL |
| Catalog Page | Page 636 (C-2-2019) |
| GTIN | 4046356777209 |
| Weight per Piece (including packing) | 138.6 g |
| Weight per Piece (excluding packing) | 137 g |
| Customs tariff number | 85389099 |
| Country of origin | PL |



https://www.phoenixcontact.com/in/products/1407657



Technical Data

Notes

| General | For contact inserts HC-B24, BB46, D64, DD108, M, K, HV10-I- |
|---------|---|
| | PT, HV 10-EC |

Product properties

| Туре | B24 |
|----------------------|----------------------------|
| Product type | Housing with locking latch |
| Application | Standard |
| No. of cable outlets | 1 |
| Housing type | Sleeve housing |
| Locking type | for double locking latch |
| Cable outlet | straight |
| Pg screw connection | none |

Dimensions

| Dimensional drawing | 120 - 44 - |
|---------------------|------------|
| Width | 44 mm |
| Height | 87.5 mm |
| Length | 120 mm |

Material specifications

| Color | black |
|--|--------------|
| Flammability rating according to UL 94 | V0 (Housing) |
| Impact strength | IK09 |
| Housing material | PA |

Mechanical properties

Mechanical data

| Locking type | Pin |
|--------------|-----|
|--------------|-----|

Mounting

| Assembly instructions | The sleeve base housing must be supplemented with the EVO screw connection. The EVO screw connection is available in 4 sizes. It enables the creation of a straight or a lateral cable outlet. |
|-----------------------|--|
| | The EVO screw connection is assembled by hand or using a pipe |
| | wrench. |

Environmental and real-life conditions

Ambient conditions



1407657

https://www.phoenixcontact.com/in/products/1407657

| Degree of protection | IP66 |
|---------------------------------|---------------|
| | 12 (UL 50e) |
| Impact strength | IK09 |
| Ambient temperature (operation) | -40 °C 125 °C |





https://www.phoenixcontact.com/in/products/1407657



Drawings

Dimensional drawing





Dimensional drawing



1407657

https://www.phoenixcontact.com/in/products/1407657

Approvals



cUL RecognizedApproval ID: E255026



UL RecognizedApproval ID: E255026



EAC

Approval ID: RU C-DE.Al30.B.01102



EAC

Approval ID: RU C-DE.BL08.B.00511



1407657

https://www.phoenixcontact.com/in/products/1407657

Classifications

UNSPSC 21.0

ECLASS

| | ECLASS-11.0 | 27440202 |
|--------|-------------|----------|
| | ECLASS-12.0 | 27440202 |
| | ECLASS-13.0 | 27440202 |
| ETIM | | |
| | ETIM 8.0 | EC000437 |
| UNSPSC | | |

31261500



https://www.phoenixcontact.com/in/products/1407657



Environmental Product Compliance

| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|------------|---|
| | No hazardous substances above threshold values |



1407657

https://www.phoenixcontact.com/in/products/1407657

Accessories

HC-B-G-M20-PLRBK - Cable gland

1407669

https://www.phoenixcontact.com/in/products/1407669



EVO plastic cable gland with bayonet locking, for housing series B, size M20, cable diameter: 7 mm \dots 13 mm

HC-B-G-M25-PLRBK - Cable gland

1407670

https://www.phoenixcontact.com/in/products/1407670



EVO plastic cable gland with bayonet locking, for housing series B, size M25, cable diameter: 9 mm \dots 17 mm



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-G-M32-PLRBK - Cable gland

1407671

https://www.phoenixcontact.com/in/products/1407671



EVO plastic cable gland with bayonet locking, for housing series B, size M32, cable diameter: 11 mm \dots 21 mm

HC-B-G-M40-PLRBK - Cable gland

1407672

https://www.phoenixcontact.com/in/products/1407672



EVO plastic cable gland with bayonet locking, for housing series B, size M40, cable diameter: 19 \dots 28 mm



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B24-HCWD-PLR-BK - Protective cover

1346552

https://www.phoenixcontact.com/in/products/1346552



Protective cover B24, with double locking latch, protective cover material: PC, height: 25.4 mm, seal: yes

US-EMP (20X9) - Snap-in markers

0829439

https://www.phoenixcontact.com/in/products/0829439



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 20×9 mm, Number of individual labels: 70



1407657

https://www.phoenixcontact.com/in/products/1407657

US-EMP (20X9) CUS - Snap-in markers

0830028

https://www.phoenixcontact.com/in/products/0830028

Snap-in markers, can be ordered: by card, white, labeled according to customer specifications, mounting type: snapped into marker carrier, lettering field size: 20×9 mm, Number of individual labels: 70



HC-B-TA-M40-PLR-BK - Adapter

1414246

https://www.phoenixcontact.com/in/products/1414246



Plastic thread adapter with bayonet lock, for EVO housing series B, M40 thread



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-TA-M32-PLR-BK - Adapter

1414245

https://www.phoenixcontact.com/in/products/1414245



Plastic thread adapter with bayonet lock, for EVO housing series B, M32 thread

HC-B-TA-M25-PLR-BK - Adapter

1414244

https://www.phoenixcontact.com/in/products/1414244



Plastic thread adapter with bayonet lock, for EVO housing series B, M25 thread



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-TA-M20-PLR-BK - Adapter

1414243

https://www.phoenixcontact.com/in/products/1414243



Plastic thread adapter with bayonet lock, for EVO housing series B, M20 thread

HC-B-TA-PG29-PLR-BK - Adapter

1414250

https://www.phoenixcontact.com/in/products/1414250



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg29 thread



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-TA-PG21-PLR-BK - Adapter

1414249

https://www.phoenixcontact.com/in/products/1414249



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg21 thread

HC-B-TA-PG16-PLR-BK - Adapter

1414248

https://www.phoenixcontact.com/in/products/1414248



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg16 thread



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-TA-PG13-PLR-BK - Adapter

1414247

https://www.phoenixcontact.com/in/products/1414247



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg13.5 thread

HC-B-TA-NPT-1 1/4-PLR-BK - Adapter

1414254

https://www.phoenixcontact.com/in/products/1414254



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1 1/4" thread



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-TA-NPT-1/1-PLR-BK - Adapter

1414253

https://www.phoenixcontact.com/in/products/1414253



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1/1" thread

HC-B-TA-NPT-3/4-PLR-BK - Adapter

1414252

https://www.phoenixcontact.com/in/products/1414252



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 3/4" thread



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251

https://www.phoenixcontact.com/in/products/1414251



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1/2" thread

HC-B-GB-M32-PLRBK - Cable gland

1414662

https://www.phoenixcontact.com/in/products/1414662



Set consisting of: EVO plastic adapter 1414245 and plastic screw connection with bending armor rod 1415181, M32 $\,$



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-GB-M25-PLRBK - Cable gland

1414661

https://www.phoenixcontact.com/in/products/1414661




Set consisting of: EVO plastic adapter 1414244 and plastic screw connection with bending armor rod 1415180, M25

HC-B-GB-M20-PLRBK - Cable gland

1414660

https://www.phoenixcontact.com/in/products/1414660







1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-GTRS-M32-PLRBK - Cable gland

1414654

https://www.phoenixcontact.com/in/products/1414654



Set consisting of: EVO plastic adapter 1414245 and plastic screw connection with terminal block 1415191, M32 $\,$

HC-B-GTRS-M25-PLRBK - Cable gland

1414652

https://www.phoenixcontact.com/in/products/1414652

Set consisting of: EVO plastic adapter 1414244 and plastic screw connection with terminal block 1415190, M25






1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-GTRS-M20-PLRBK - Cable gland

1414651

https://www.phoenixcontact.com/in/products/1414651





HC-B-GM8X6,5-M40-PLTBK - Cable gland

1414646

https://www.phoenixcontact.com/in/products/1414646



EVO plastic cable gland with bayonet locking; size M40, for 8 conductors with 6. 5 mm cable diameter



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-GM5X8,5-M40-PLTBK - Cable gland

1414645

https://www.phoenixcontact.com/in/products/1414645



EVO plastic cable gland with bayonet locking; size M40, for 5 conductors with 8. 5 mm cable diameter

HC-B-GM4X10-M40-PLTBK - Cable gland

1414644

https://www.phoenixcontact.com/in/products/1414644



EVO plastic cable gland with bayonet locking; size M40, for 4 conductors with 10 mm cable diameter



1407657

https://www.phoenixcontact.com/in/products/1407657

HC-B-GM0-M40-PLTBK - Cable gland

1414643

https://www.phoenixcontact.com/in/products/1414643



EVO plastic cable gland with bayonet locking; size M40, with filler plug

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in